

INDEX MAPS.

T. 3 N., R. 1 E. 2nd Mer.

	67-69	67-69	67-68	67-68	67-68	67-68	68					
71	6	91	5	86	4	82	3	79	2	75	1	66
	91	90	85	82	78	74						
71	7	90	8	85	9	82	10	78	11	74	12	66
	90	89	85	81	77	74						
71	18	89	17	84	16	81	15	77	14	73	13	66
	89	88	84	81	77	73						
70	19	88	20	84	21	80	22	76	23	73	24	66
	88	87	83	80	76	72						
70	30	87	29	83	28	80	27	76	26	72	25	65
69	87	86	83	79	75	72						
69	31	86	32	82	33	79	34	75	35	71	36	65
	63-64	63-64	63-64	63-64	63-64	63-64	63-65					

T. 4 N., R. 1 E. 2nd Mer.

	98	98	97-99	97-99	97-99	97-99	97-99					
101	6	121	5	118	4	116	3	114	2	112	1	96
	112	122	121		119		117		114		112	
101	7	121	8	119	9	117	10	114	11	112	12	96
	111	111		119		117		115		113		
100	18	110	17	120	16	118	15	115	14	113	13	96
	110	109	120	120	116	116	115		113			
100	19	109	20	121	21	105	22	115	23	103	24	96
	110	109	107		105	116	116	103		102		
100	30	108	29	106	28	105	27	104	26	102	25	96
	108	108		106		105		104		102		
99	31	107	32	106	33	104	34	103	35	101	36	95
	93-95	93-94	93-94	93-94	93-94	93-94	93-94					

Meanders 459

The figures on the lines refer to the page.

Township N. 4 North, Range N. 1 East 2^d Mer. Indiana

South Boundary

East 1st Mile On Land^m. between Towns 3 & 4 N. R 1 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Mile post

Over very brushy thin Soil.

East 2nd Mile On Land^m. between Towns 3 & 4 N. R 1 E.

40.00 Set temp^y. of Sec. post, p

80.00 Set temp^y. Mile post.

Land timber &c. Same as on the last mile

East 3rd Mile On Land^m. between Towns 3 & 4 N. R 1 E.

36.25 a Brook 20 hrs. wide C. & S.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Mile post. Land &c. Same

East 4th Mile On Land^m. between Towns 3 & 4 N. R 1 E.

40.00 Set temp^y. of Sec. post

80.00 Set temp^y. Mile post. Over very good farming land Oak & Hickory timber.

East 5th Mile On Land^m. between Towns 3 & 4 N. R 1 E.

40.00 Set temp^y. of Sec. post

43.50 a Brook 25 hrs. wide C. & S.

80.00 Set temp^y. Mile post. Land &c. Same. as on the last mile.

East 6th Mile On Land^m. between Towns 3 & 4 N. R 1 E.

40.00 Set temp^y. of Sec. post

89.00 Intersected the N. & S. line N. of Town Corner. a brook 15 hrs. wide C. & S.

Land hilly & brushy.

T4. N. R1 E. 2nd. Mer. Indiana

West On S. boundy. of Sec. 36, T4 N. R1 E.
 40.00 At the q. Sec. post, from which
 a Poplar 18 in. dia. bears S10 E 7 lks. dist. &
 a Hickory 10 " " " S86 W 27 " "
 80.00 At a post Cor. to Sec. 35 & 36, from which
 a Dogwood 8 in. dia. bears S67 E 19 lks. dist.

West On S. boundary of Sec. 35, T4 N. R1 E.
 40.00 At the q. Sec. post, from which
 a Sugar 10 in. dia. bears N65 E 52 lks. dist. &
 a Elm 10 " " " S70 W 47 " "
 80.00 At a post Cor. to Sec. 34 & 35, from which
 a W. Oak 10 in. dia. bears N50 W 9 lks. dist. &
 an Elm 12 " " " S8 W 17 " "

West On S. boundary of Sec. 34, T4 N. R1 E.
 40.00 At the q. Sec. post, (bearings omitted)
 80.00 At a post Cor. to Sec. 33 & 34, from which
 a W. Oak 10 in. dia. bears N37 E 25 lks. dist. &
 an Elm 7 " " " S12 E 20 " "

West On S. boundy. of Sec. 33, T4 N. R1 E.
 40.00 At the q. Sec. post on true line from which
 a Poplar 12 in. dia. bears S9 E 16 lks. dist. &
 a Beech 5 " " " N40 W 7 " "
 80.00 At ~~at~~ a post Cor. to Sec. 32 & 33, from which
 a W. Oak 12 in. dia. bears N64 E 20 lks. dist. &
 a W. Ash 10 " " " N73 W 20 " "

West On South boundy. of Sec. 32, T4 N. R1 E
 40.00 At the q. Sec. post, from which
 a W. Oak 10 in. dia. bears N60 W 22 lks. dist.
 & a Elm 10 " " " N4 W 25 " "

T4N R1E 2nd. Mer. Indiana

80.00 Set a post Cor. to Sec. 31 & 32, T4N. R1E. from
which a W. Oak 9 in. diam. bears North 31 lks. dist. &
a B. Oak 10 " " " N 35 E 34. "

West On S. boundary of Sec. 31, T4N. R1E.
40.00 Set the q. Sec. post on true line, from which
a W. Oak 28 in. diam. bears S 85 E 49 lks. dist. &
a Gum 18 " " " N 33 W 19 " "
99.20 to the Town Cor. on the 2nd Meridian

East Boundary var. 7.30. E
North On E. boundary of Sec. 36, T4N. R1E.
25.00 a Branch 15 lks. wide Cr. N.E.
35.00 a Brook 30 " " " West
40.00 Set the q. Sec. post, from which
a Beech 10 in. diam. bears S 40 E 23 lks. dist. &
a Sugar 6 " " " N 15 W 18 " "
51.00 a Br. Oak 20 in. diam.
80.00 Set a post Cor. to Sec. 25 & 36, from which
a Beech 10 in. diam. bears N 53 E 4 lks. dist. &
a Elm 20 " " " S 13 E 30 " "
Over Good land, timber Beech &c.

North On E. boundary of Sec. 24, T4N. R1E
8.50 Set post on the N.W. side of White River, from which
a B. Walnut 12 in. diam. bears S 31 E 15 lks. dist. &
a Elm 10 " " " N 83 W 19 " "
35.00 a Spring S.E.
40.00 Set the q. Sec. post, from which
a Beech 6 in. diam. bears S 53 E. 16 lks. dist. &
a Elm 8 " " " West 3 " "
80.00 Set a post Cor. to Sec. 13 & 24, from which
a Sugar 8 in. diam. bears N 25 W 9 lks. dist. &

T4N R1E, T. Mer. Indiana

a Sugar 6 m. dist. bear S 25 E. 19 lbs. dist. of
Good farming land, timber, Sugar, Beech, Ash &c

North On E. boundary of Sec. 25, T4N. R1E.

40.00 At the q. Sec. post from which

a Sugar 10 m. dist. bear S 5 E 12 lbs. dist. of

a W. Oak 15 " " " S 85 W 16 " "

80.00 At a post Cor. to Sec. 24 & 25, from which

a Hackberry 12 m. dist. bear N 45 W 21 lbs. dist. of

a Do 10 " " " N 15 E 21 " "

the above Corner stands on the S. bank of the
River. Over very hilly land timber same.

North On E. boundy. of Sec. 13, T4N. R1E.

40.00 At q. Sec. post, from which

a Lym 7 m. dist. bear S 63 E 9 lbs. dist. of

a Sugar 6 " " " N 8 W 19 " "

80.00 At a post Cor. to Sec. 12 & 13, from which

a Beech 10 m. dist. bear N 42 W 2 lbs. dist. of

a Do 20 " " " N 82 E 24 " "

North On E. boundy. of Sec. 12, T4N. R1E.

32.50 a Creek 150 lbs. wide

40.00 At the q. Sec. post in the Brook

(No bearings given)

50.00 Same Stream Course N.W.

55.00 a Buckeye 30 m. dist.

80.00 At a post Cor. to Sec. 11 & 12, from which

a Beech 18 m. dist. bear S 50 E 15 lbs. dist. of

" " " N 31 E 9 " "

Land good timber Elm, Ash, Beech &c.

North On E. boundy. of Sec. 1, T4N. R1E

T. N. R. E. 2^d. Mer. Indian

- 40.00 Set the qf. Sec. post, from which
a Beech 6 in. dia. beam 8th 24 lbs. dist. 4
a Sugar 8 " " " 14th 9 " "
- 59.80 a Brook 10 lbs. wide C. S. W.
- 80.00 Set a post Cor. to Town 4th 5th St. Ranges 1st 2^d E.
2^d. Meridian, from which
a Beech 6 in. dia. beam 14th 13 lbs. dist. 4
a Sugar 12 " " " 17th 8 " "
Good farming land, timber Poplar, Sugar &c.
-

North Boundary

- West 1st Mile On Random betw. Town 4th 5th St. R. E.
- 40.00 Set qf. Sec. post
- 80.00 Set temp. mile post.
Land rich & low, timber Poplar, Beech &c
-

- West 2^d Mile On Rand. betw. Town 4th 5th St. R. E.
- 40.00 Set temp. qf. Sec. post
- 78.26 a Brook 25 lbs. wide Course South
- 80.00 Set temp. mile post.
Land broken, timber the Same
-

- West 3^d Mile On Random betw. Town 4th 5th St. R. E.
- 40.00 Set temp. qf. Sec. post
- 80.00 Set temp. mile post. Land & timber Same
-

- West 4th Mile On Rand. betw. Town 4th 5th St. R. E.
- 40.00 Set temp. qf. Sec. post
- 41.00 a Brook 50 lbs. wide C. S.
- 54.50 Same 50 " " " S. W.
- 55.50 Same 50 " " " South
- 80.00 Set temp. mile post. Land level timber
Beech, Sugar Oak &c
-

T4 N R1 E. 2nd Mer. Indiana

West 5th Mile On Rand^m. betwⁿ Towns 4 & 5 N. R1 E.
 40.00 At the q. Sec. post (temp^y.)
 80.00 At temp^y. mile post. Land rich & rolling
 timber the same, undugth. Spruce

West 6th Mile On Rand^m. betwⁿ Towns 4 & 5 N. R1 E.
 2.50 a Spring runs South
 40.00 At temp^y. q. Sec. post
 85.00 a Brook 20 lbs. wide Cr. S.W.
 93.50 Same 20 " " " S.W.
 96.17 Intersected the 2nd Meridian, South of the
 Town Corner. Land &c. Same

East On S. boundary of Sec. 31, T5 N. R1 E.
 56.17 At the q. Sec. post on true line, from which
 a W. Oak 20 in. diam. bears S 8 W 25 lbs. dist. &
 a Beech 8 " " " N 6 W 28 " "
 96.17 At a post Cor. to Sec^s. 31 & 32, T5 N. R1 E. from which
 a W. Oak 10 in. diam. bears S 70 E 20 lbs. dist. &
 a Sugar 10 " " " N 62 W 21 " "

East On S. bound^y. of Sec. 32, T5 N. R1 E.
 40.00 At the q. Sec. post on true line from which
 a Dogwood 6 in. diam. bears N 56 E 15 lbs. dist. &
 a Beech 24 " " " S 73 W 17 " "
 80.00 At a post Cor. to Sec^s. 32 & 33, T5 N. R1 E. from which
 a Hackberry 8 in. diam. bears N 54 W 23 lbs. dist. &
 a Beech 10 " " " N 34 W 16 " "

East On S. bound^y. of Sec. 33, T5 N. R1 E.
 40.00 At the q. Sec^y. post on true line, from which
 a Beech 12 in. diam. bears N 60 E 29 lbs. dist. &
 an Ironwood 8 " " " N 78 W 25 " "

Sec. R1 E. 2nd Mer. Indiana

80.00 Set post Cor. to Sec. 33 & 34, T5 N. R1 E, from which
a Sugar 10 in. dia. bear N71 E 8 lks. dist &
a Buckeye 10 " " " S62 W 14 " "

East On S. boundy. of Sec. 34, T5 N. R1 E.

40.00 At the q. Sec. post on true line, from which
a Sugar 6 in. dia. bear N87 E 10 lks. dist &
a Beech 24 " " " S60 W 5 " "

80.00 Set a post Cor. to Sec. 34 & 35, T5 N. R1 E. from which
a Sycamore 20 in. dia. bear N52 E, 15 lks. dist &
an Ironwood 8 " " " S27 E 18 " "

East On S. boundy. of Sec. 35, T5 N. R1 E.

40.00 At the q. Sec. post on true line, from which
a Beech 18 in. dia. bear N48 E 8 lks. dist &
a Do 24 " " " S36 W 30 " "

80.00 Set a post Cor. to Sec. 35 & 36, T5 N. R1 E. from which
a Sugar 12 in. dia. bear N19 E 7 lks. dist &
a Beech 6 " " " S82 E 14 " "

East On S. boundy. of Sec. 36, T5 N. R1 E.

40.00 At the q. Sec. post on true line, from which
a Beech 6 in. dia. bear N38 W 7 lks. dist
a Do 12 " " " S75 W 18 " "

80.00 to the Town Corner.

West Boundary or 2nd Principal Meridian
Variation 6° 36' E.

North On E. boundy. of Sec. 36, T4 N. R1 W.

40.00 At the q. Sec. post, from which
a P. Oak 20 in. dia. bear S35 E 25 lks. dist &
a Hickory 10 " " " N25 E 8 " "

80.00 Set a post Cor. to Sec. 25 & 36, T4 N. R1 W. from which

Lat. R1 E. 2nd Mer. Indiana

2nd Meridian
 a Hickory 6 in. diam. bears S 28° W 12 lks. dist. of
 a Do 15 " " " S 27° E 24 " "
 Level Oak & Hickory timbered land, thin soil brushy

North On E. boundry. of Sec. 25, T4 N. R1 W

40.00 Set the q. Sec. post, from which

a Hickory 10 in. diam. bears S 7° E 22 lks. dist. of

a Do 11 " " " N 32° W 33 " "

80.00 Set a post Cor. to Sec. 24 & 25, T4 N. R1 W, from which

a Hickory 8 in. diam. bears S 31° E 34 lks. dist. of

a Poplar 8 " " " N 49° E 19 " "

Sand, timber &c. same as on the last mile

North On E. boundry. of Sec. 24, T4 N. R1 W,

20.10 a W. Oak 15 in. diam.

40.00 Set q. Sec. post, from which

a Cypress 10 in. diam. bears S 38° W 35 lks. dist. of

a Do 10 " " " N 83° E 35 " "

70.05 a W. Oak 12 " "

80.00 Set a post Cor. to Sec. 13 & 24, T4 N. R1 W, from which

a W. Oak 19 in. diam. bears S 84° E 8 lks. dist. of

a Do 19 " " " N 23° W 26 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T4 N. R1 W

5.00 a Brook 20 lks. wide Cr. E.

20.20 a B. Walnut 20 in. diam.

30.00 a Brook 10 lks. wide Cr. E.

40.00 Set the q. Sec. post, from which

an Elm 10 in. diam. bears S 30° W 7 lks. dist. of

a Sugar 10 " " " N 7° E 34 " "

44.25 a Poplar 20 " "

80.00 Set a post Cor. to Sec. 12 & 13, T4 N. R1 W, from which

Let N. R1E, 2^d. Mer. Indiana

a W. Oak 24 in. diam. bears S17 E 34 lbs. dist. 4
 a Hickory 12 " " " N62 W 14 " "
 Sand timber &c. Same as on the last mile

North On E. boundy. of Sec. 12, T4 N. R1 W

40.00 Let the q. Sec. post, from which

a Sugar 10 in. diam. bears S3 E 17 lbs. dist. 4

a Do 10 " " " N1 E 27 " "

80.00 Let a post Cor. to Sec. 12, T4 N. R1 W, from which

a Beech 20 in. diam. bears S52 W 10 lbs. dist. 4

a Do 20 " " " N21 W 22 " "

Over good land, timber beech, oak, Poplar, Hickory &c.

North On E. boundy. of Sec. 1, T4 N. R1 W.

1.50 Let post on the River bank, from which

a Beech 10 in. diam. bears S54 E 10 lbs. dist. 4

a Sugar 10 " " " S42 W 12 " "

13.50 Let post on the N.W. side of the River, from which

a Br. Oak 20 in. diam. bears S53 W 21 lbs. dist. 4

a Sugar 10 " " " N32 W 15 " "

40.00 Let the q. Sec. post, from which

a Beech 10 in. diam. bears S21 E 16 lbs. dist. 4

a Do 10 " " " S22 E 12 " "

80.00 Let a post Cor. to Towns 4 & 5 N. Ranges 1 E.
 and 1 W. from which

a Sugar 12 in. diam. bears S16 E 31 lbs. dist. 4

a Do 10 " " " S61 W 18 " "

Sand, timber &c. Same as on the last mile
 Surveyed by Arthur Henrie, Dep. Sur.

Subdivision.

North Between Sec. 35 & 36, T4 N. R1 E, 2^d. Mer.

9.20 a Hickory 12 in. diam.

T4 N. R1 E. 2nd Mer. Indiana

40.00 Set the q. Sec. post, from which
 a Dogwood 6 in. diam. bears N 84 E 6 lbs. dist. of
 a Poplar 8 " " " N 24 W 4 " "
 80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which
 a Dogwood 6 in. diam. bears S 7 E 14 lbs. dist. of
 a Do 5 " " " N 43 W 8 " "
 Sand level, timber. Oak, Poplar, Hickory, ash &c.

East On Random between Secs. 25 & 36, T4 N. R1 E.
 40.00 Set temp. q. Sec. post
 59.50 a Brook 40 lbs. wide Cor. St.
 79.50 Intersected the N. & S. line 110 lbs. N. of the cor.
 Sand rolling, timber. the same, underg^d. Spruce

West On true line between Secs. 25 & 36, T4 N. R1 E.
 39.75 Set q. Sec. post at av. dist, from which
 a Sugar 6 in. diam. bears N 86 W 27 lbs. dist. of
 a B. — 8 " " " N 24 W 4 " "
 79.50 to Sec. Cor.

North Between Secs. 25 & 26, T4 N. R1 E.
 40.00 Set the q. Sec. post, from which
 a Dogwood 6 in. diam. bears N 42 W 27 lbs. dist. of
 a Beech 20 " " " S 7 E 17 " "
 54.20 a Poplar 12 " "
 80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
 an Elm 20 in. diam. bears S 24 W 14 lbs. dist. of
 a Maple 18 " " " N 60 W 19 " "
 Sand timber &c. same as on the last mile

East On Random betw. Secs. 24 & 25, T4 N. R1 E.
 40.00 Set temp. q. Sec. post
 79.20 Intersected the N. & S. line, 239 lbs. N. of Cor.

T4 N. R1 E. 3rd. Mer. Indiana

Land hilly, timber the Same

West On true line between Sec. 24 & 25, T4 N. R1 E.
 39.60 At the q. Sec. post at q. dist. on true line, from which
 a Red Oak 8 in. dia. bears N 45 E 13 hrs. dist. of
 an Ironw. 5 " " " S 76 E 18 " "
 79.20 to Sec. Corner.

North Between Sec. 23 & 24, T4 N. R1 E.
 11.20 a Spring West
 40.00 At the q. Sec. post, from which
 an Ironw. 6 in. dia. bears S 71 W 24 hrs. dist. of
 a Do 6 " " " S 71 E 15 " "
 46.80 a W. Ash 20 " "
 79.33 At a post on the bank of White River, from which
 a Mulberry 18 in. dia. bears N 71 E 10 hrs. dist. of
 a Beech 12 " " " S 19 W 21 " "
 This mile or so rich land, timber & indgth same

West Between Sec. 23 & 26, T4 N. R1 E., 2nd Mer.
 22.00 a Brook 40 hrs. wide cr. S. W.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. dia. bears S 52 E 11 hrs. dist. of
 a Do 12 " " " N 58 W 22 " "
 46.20 a W. Ash 20 " "
 58.50 to a Sugar 12 in. " Cor. on the River bank
 Land flat, timb. Beech, Poplar &c.

North Between Sec. 34 & 35, T4 N. R1 E.
 40.00 At the q. Sec. post, from which
 a Mulberry 8 in. dia. bears S 42 E 7 hrs. dist. of
 a Locust 8 " " " N 39 W 16 " "
 54.50 to the 4 Springs

Let R 1 E, 2nd Mer. Indiana

72.50 a Spring C. E.

80.00 At a post. Cor. to Sec. 26, 27, 34 & 35, from which
a Sugar 12 m. dist. bears S 83 E 14 lks. dist. of
a Beech 8 " " " N 19 W 6 " "
Good farming land, timber Ash, poplar Oak, hickory &c.

East On Run, betw. Sec. 26 & 35, T 4 S. R 1 E

2.40 a Brook 20 lks. wide C. E. St.

40.00 At a post of Sec. post,

80.00 intersected the N & S. line 50 lks. S. of the Cor.
Sand timber &c. Same as on the last mile

West On true line, betw. Sec. 26 & 35, T 4 S. R 1 E.

40.00 At a post at a post. dist. on true line, from which
a Hogwood 6 m. dist. bears N 34 E 4 lks. dist. of
a Hickory 8 " " " S 78 W 13 " "

80.00 to Sec. Cor.

North Between Sec. 26 & 27, T 4 S. R 1 E

13.15 a Brook 20 lks. wide C. E. St.

25.00 Same 20 lks. " " N. W.

40.00 At the post. Sec. post, from which
a Beech 10 m. dist. bears N 36 W 12 lks. dist. of
a Ho 18 " " " N 69 W 30 " "
This post stands on the River bank
Sand flat, timber the Same

North Between Sec. 33 & 34, T 4 S. R 1 E.

40.00 At the post. Sec. post, from which
a Hlogwood 8 m. dist. bears N 51 E 5 lks. dist. of
a Poplar 12 " " " S 17 W 15 " "

80.00 At a post Cor. to Sec. 27, 28, 33 & 34, from which
a Hlogwood 6 m. dist. bears N 78 E 13 lks. dist. of

Sec. R1 E, T^h. Mer. Indiana

a Dogwood 7 in. diam. bears N45W13 km. dist.
 Sand rolling timber Oak & Hickory.

East On Random betwⁿ Secs. 27 & 34, T4 N. R1 E.

40.00 Set temp^y. q^r. Sec. post.

80.05 Intersected the N & S. line. 12 km. S. of the Cor.
 Sand timber &c. Same as on the last mile

West On true line between Secs. 27 & 34, T4 N. R1 E.

40.02 1/2 Set q^r. Sec. post at ar^y. dist. from which

a Hickory 8 in. diam. bears N69 E 19 km. dist. &

a Beech 10 " " " N59 W 28 " "

80.05 to Sec. Cor.

North Between Secs. 27 & 28, T4 N. R1 E, T^h. Mer.

40.00 Set the q^r. Sec. post, from which

a Beech 12 in. diam. bears N69 E 22 km. dist. &

a Do 20 " " " N21 E 15 " "

80.00 Set a post Cor. to Secs. 21, 22, 27, 28, from which a

Beech 12 in. diam. bears N79 W 11 km. dist. &

N. Walnut 10 " " " N30 E 23 " "

Sand rolling, timber Beech, Poplar & ash.

East Between Secs. 22 & 27, T4 N. R1 E, T^h. Mer.

40.00 Set the q^r. Sec. post, from which

a White 10 in. diam. bears N19 E 19 km. dist. &

a Beech 12 " " " N75 E 35 " "

47.20 a Maple 8 in. diam. Cor. on the River.

Sand rich & level

North Between Secs. 21 & 22, T4 N. R1 E.

30.15 a Poplar 48 in. diam.

40.00 Set the q^r. Sec. post, from which

Lick R. E. 2nd Mer. Indiana

- a Beech 12 in. diam. bears N 50 W 14 lbs. dist. 6
 a do 18 " " " N 88 E 20 " "
 40.20 a Spring West
 65.00 At post on the River from which
 a Sugar 12 in. diam. bears N 16 E 19 lbs. dist. 6
 a do 20 " " " N 77 E 23 " "
 Sand timber &c. Same as on the last mile
-

- North Betw. Sec. 32 & 33, T. 4 N. R. 1 E. 2nd Mer.
 9.50 a Poplar 18 in. diam.
 23.50 a Brook 20 lbs. wide E. & E.
 40.00 At the q. Sec. post, from which
 a W. Oak 15 in. diam. bears N 16 E 13 lbs. dist. 6
 a dogwood 6 " " " N 28 W 22 " "
 80.00 At a post cor. to Sec. 28, 29, 32 & 33, from which
 a W. Oak 12 in. diam. bears N 5 W 16 lbs. dist. 6
 a do 6 " " " N 13 W 9 " "
 The Land rolling, timber Oak, Hickory &c.
-

- East On Random betw. Sec. 28 & 33, T. 4 N. R. 1 E.
 39.00 a Brook 30 lbs. wide E. & N. E.
 40.00 At temp. q. Sec. post.
 79.70 Intersected the N. & S. line 25 lbs. S. of the
 Cor. Sand timber &c. Same
-

- West on true line between Sec. 28 & 33, T. 4 N. R. 1 E.
 39.85 At q. Sec. post at av. dist. in the brook, from which
 a Sugar 8 in. diam. bears N 40 W. 31 lbs. dist. 1'
 79.70 to Sec. Cor.
-

- North Between Sec. 28 & 29, T. 4 N. R. 1 E.
 40.00 At the q. Sec. post, from which
 a Poplar 18 in. diam. bears N 40 W 15 lbs. dist. 6

Let R1E. 2nd. Mer. Indiana

- a Poplar 12 in. dia. bear S 36 E 22 lks. dist.
 75.00 a Poplar 36 " "
 80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
 a Poplar 40 in. dia. bear S 12 W 28 lks. dist. &
 a W. Oak 18 " " " N 19 W 26 " "
 Land timber &c. same as on the last mile

- East On Rand. between Sec. 21 & 28, T4 N. R1E.
 40.00 Set temp. of Sec. post
 50.00 a brook 35 lks. wide cr. North
 79.50 Intersected the N & S. line 40 lks. S. of the corner
 Land rolling timber, ash, poplar, oak &c.

- West On true line between Sec. 21 & 28, T4 N. R1E
 39.75 Set of Sec. post at av. dist. from which
 an Elm 12 in. dia. bear N 53 E 9 lks. dist. &
 a Locust 6 " " " S 26 W 21 " "
 79.50 to Sec. cor.

- North Between Sec. 20 & 21, T4 N. R1E. 2nd. Mer.
 22.00 a brook 12 lks. wide cr. N.E.
 40.00 Set the of Sec. post. from which
 a Beech 8 in. dia. bear N 24 E 12 lks. dist. &
 a Sugar 9 " " " S 17 E 35 " "
 44.75 a W. Ash 12 " "
 48.59 Set a post on the bank white River, from which
 a Sugar 10 in. dia. bear West 10 lks. dist. &
 a Loc 10 " " " N 43 E 10 " "
 Land rolling timber Poplar, Sugar &c.

- North Between Sec. 31 & 32, T4 N. R1E. 2nd. Mer.
 40.00 Set the of Sec. post, from which
 a Gum 7 in. dia. bear S 24 E 46 lks. dist. &

T4 N - R1 E. 2^d. Mer. Indiana

- a Maple 10 in. dia. beam S53 E 23 lks. dist.
 80.00 At a post Cor. to Sec. 29, 30, 31 & 32, from which
 a B. Oak 6 in. dia. beam N49 E 12 lks. dist. &
 a W. Oak 18 " " S89 W 19 " "
 Land broken many sink holes timber: Oak & Hickory.

- East On Random between Sec. 29 & 32, T4 N. R1 E
 40.00 At temp. 4. q. Sec. post.
 80.00 Intersected the N & S line 8 lks. S. of the Corner.
 Land timber &c. same as on the last mile

- West On true line between Sec. 29 & 32, T4 N. R1 E.
 40.00 At the q. Sec. post at a q. dist. from which
 a Dogwood 6 in. dia. beam South 10 lks. dist. &
 a Co 6 " " " N42 W 11 " "
 80.00 At the Sec. Cor.

- North Between Sec. 29 & 30, T4 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a W. Oak 12 in dia. beam S67 W 9 lks. dist. &
 a Co 8 " " " N8 E 10 " "
 80.00 At a post Cor. to Sec. 19, 20, 29, 30, from which
 a B. Oak 30 in. dia. beam N29 E 23 lks. dist. &
 a W. Oak 8 " " " N35 W 24 " "
 Land timber &c. same as on the last mile

- West Between Sec. 30 & 31, T4 N. R1 E. 2^d. Mer.
 25.00 a Brush thicket
 40.00 At the q. Sec. post in thicket (no bearings)
 84.00 a brook 15 lks. wide Co. N.
 98.50 Intersected the 2^d Meridian 40 lks. N. of the corner.
 At a post Cor. to Sec. 30 & 31, from which
 a W. Oak 8 in. dia. beam S63 E 3 lks. dist. &

T4 N. R1 E. 2^d. Mer. Indiana

a Hickory 10 in. diam. beam N4W10 lks. dist. of
Over very thin Soil Covered with brush & briars

East On Random betwⁿ Sec. 20 & 29, T4 N. R1 E.
40.00 Set temp^y. of Sec. post
80.10 Intersected the N. & S. line 8 lks. S. of the corner.
Sand timber &c. same as on the last mile

West On true line betwⁿ Sec. 20 & 29, T4 N. R1 E.
40.05 Set of Sec. post at ar^y. dist. from which
a W. Oak 12 in. diam. beam N34E9 lks. dist. of
a Do 10 " " " N7W11 " "
80.10 to Sec. Cor.

North Between Sec. 19 & 20, T4 N. R1 E.
34.90 a W. Oak 12 in. diam.
40.00 Set the of Sec. post, from which
a B. Oak 9 in. diam. beam N35E22 lks. dist. of
a Dogwood 5 " " " S65W13 " "
71.25 a Brook 20 lks. wide Cr. N.E.
80.00 Set a post Cor. to Sec. 17, 18, 19, 20, from which
a Sugar 12 in. diam. beam N88E10 lks. dist. of
a Dogw^d? 4 " " " S77W23 " "
Sand rolling timber Poplar, Oak & Hickory.

East Between Sec. 17 & 20, T4 N. R1 E. 2^d. Mer.
10.25 a Brook 20 lks. wide Cr. N.E.
40.00 Set the of Sec. post, from which
a B. Oak 10 in. diam. beam N78W9 lks. dist. of
a Beech 8 " " " N88E20 " "
61.06 a Walnut in. diam. Cor. on the River bank
Sand timber &c. same as on the last mile

T4 N. R1 E, 2^d Mer. Indiana

West Between Secs. 19 & 30, T4 N. R1 E.

32.00 a W. Oak 12 in. diam.

34.50 a Brook 15 lbs. wide C.P. N.

40.00 Set the q. Sec. post, from which

a B. Oak 10 in. diam. bears N 29 W 23 lbs. dist. &

a Do 10 " " " N 50 E 13 " "

55.00 a Spring C.P. S.E.

70.50 a W. Oak 20 in. diam.

98.78 Intersected the 2^d Meridian 53 lbs. N. of the cor.

Set a post Cor. to Secs. 19 & 30, from which

a Logwood 7 in. diam. bears South 15 lbs. dist. &

a Do 7 " " " N 22 W 9 " "

Land broken soil thin, timber Oak & Hickory

West Between Secs. 18 & 19, T4 N. R1 E.

40.00 Set the q. Sec. post, from which

a W. Oak 20 in. diam. bears N 21 E 16 lbs. dist. &

a Do 20 " " " N 67 E 15 " "

70.00 a W. Oak 20 " "

82.50 a Brook 5 lbs. wide C.P. N.

97.05 Intersected the 2^d Meridian 125 lbs. N. of the cor.

Set a post Cor. to Secs. 18 & 19, from, which

a Hickory 10 in. diam. bears N 10 E 29 lbs. dist. &

a Do 10 " " " N 81 E 34 " "

Land thin timber Oak.

North Between Secs. 17 & 18, T4 N. R1 E, 2^d Mer.

25.00 a Spring run 4 lbs. wide C.P. E.

28.55 a Cherry 24 in. diam.

40.00 Set the q. Sec. post, from which

an Elm 10 in. diam. bears N 75 E 5 lbs. dist. &

a Hackberry 8 " " " N 65 W 9 " "

52.00 a Brook 10 lbs. wide C.P. E.

T4 N R1 E. 2^d. Mer. Indiana

- 57.50 a Hackberry 12 in. diam.
 61.34 a Brook 25 lks. wide C.P. N.W.
 76.00 enter a bottom covered with water
 80.00 at a post Cor. to Sec. 7, 8, 17 & 18, (in water no bearing trees taken)

East Between 8 & 17, T4 N. R1 E. 2^d. Mer.

- 5.00 to where the ground is not overflowed
 40.00 at the q. Sec. post, from which
 a Beech — in. diam. bear S 65° W 14 lks. dist. &
 a Do 24 " " " N 87° E 42 " "
 42.81 at a post on the River bank, from which
 an Ironwood 8 in. diam. bear N 40° W 24 lks. dist. &
 a B. Walnut 20 " " " S 61° E 9 " "
 Land rich & level, timber: Walnut, Hackberry, ash &c.

West Between Sec. 7 & 18, T4 N. R1 E. 2^d. Mer.

- 16.50 to where the water does not cover the ground
 37.75 a Brook 6 lks. wide C.P. N.W.
 40.00 at the q. Sec. post, from which
 a B. Oak 20 in. diam. bear N 84° E 27 lks. dist. &
 a Beech 12 " " " S 5° W 12 " "
 97.00 intersected the 2^d. Meridian 153 lks. N. of post
 at a post Cor. to Sec. 7 & 18, from which
 a Mulberry 5 in. diam. bear S 38° E 26 lks. dist. &
 a Beech 10 " " " N 60° E 58 " "

North Between Sec. 7 & 8, T4 N. R1 E.

- 19.61 at a post on River bank, from which
 a Sugar 12 in. diam. bear N 50° E 6 lks. dist. &
 a Do 8 " " " S 44° W 21 " "
 Land flat.

T4 N. R1 E. 2^d. Mer. Indiana

East Between Sec. 6 & 7, T4 N. R1 E. from post
on 2^d Meridian

- 40.00 Let the q. Sec. post, from which
a W. Ash 20 in. diam. bears N44 W 19 lbs. dist. &
a Beech 10 " " " N88 E 24 " "
68.40 a W. Ash 20 in. diam. Cor. on the River bank
Land rich & rolling, timber Poplar, ash, Sugar &c.
underg^g. Spruce wood

South Between Sec. 1 & 2, T4 N. R1 E. 2^d. Mer.

- 40.00 Let the q. Sec. post, from which
a Hickory 5 in. diam. bears N20 E 11 lbs. dist.
& a Beech 7 " " " S9 E 12 " "
80.00 Let a post Cor. to Sec. 1, 2, 11, 12, from which
a Beech 24 in. diam. bears N8 E 26 lbs. dist. &
a Sugar 12 " " " S39 W 11 " "
Land hilly. timber Beech, Sugar, Ash &c.

East On Random between Sec. 1 & 12, T4 N. R1 E.

- 40.00 Let temp. q. Sec. post
79.92 Intersected the N & S. line 10 lbs. S. of the Cor.
Land timber &c. same as on the last mile

West on true line betw. Sec. 1 & 12, T4 N. R1 E.

- 39.96 Let q. Sec. post at ar. g. dist. from which
a Sugar 12 in. diam. bears N64 E 11 lbs. dist. &
a Do 18 " " " S28 W 21 " "
79.92 to Sec. Cor.

South Between Sec. 11 & 12, T4 N. R1 E. 2^d. Mer.

- 10.90 a chestnut tree 30 in. diam.
40.00 Let the q. Sec. post, from which
a Beech 7 in. diam. bears N38 W 4 lbs. dist. &

T4 N. R1 E. 2^d. Mer. Indiana

a Beech 8 in. diam. bears S42 W 9 lks. dist. of
 70.50 a Brook 100 lks. wide Course W.
 80.00 At a post Cor. to Secs. 11, 12, 13, 14, from which
 a Coffeenut 18 in. diam. bears N75 E 23 lks. dist. of
 a Beech 24 " " " N25 W 30 " "
 Land timber &c. same as on the last mile

East On Random between Secs. 12 & 13, T4 N. R1 E.
 40.00 At temp. q. Sec. post
 70.00 a Brook 200 lks. wide C.P. N.
 80.05 Intersected the N & S. line 110 lks. S. of the cor.
 Land timber &c. same as on the last mile

West On true line between Secs. 12 & 13, T4 N. R1 E.
 40.02 1/2 At q. Sec. post, at av. dist. from which
 a Beech 8 in. diam. bears N63 E 12 lks. dist. of
 a Sassafras 10 " " " N38 W 21 " "
 80.05 to Sec. Cor.

South Between Secs. 13 & 14, T4 N. R1 E. 2^d. Mer.
 14.50 a Spring C.P. N.E.
 40.00 At the q. Sec. post, from which
 a Beech 8 in. diam. bears N86 W 8 lks. dist. of
 a Sugar 10 " " " N26 E 12 " "
 72.00 At a post on River bank, from which
 a Sugar 10 in. diam. bears N51 E 5 lks. dist. of
 a Do 10 " " " N66 W 20 " "
 Land hilly, timber the same - some Coffeenut.

West Between Secs. 13 & 14, T4 N. R1 E. 2^d. Mer.
 40.00 At the q. Sec. post, from which
 a Beech 10 in. diam. bears N70 E 17 lks. dist. of
 a Do 10 " " " N59 W 33 " "

4th P 1 E. 2nd Mer. Indiana

- 58.00 an Elm 20 in. diam.
 61.81 Set a post on the bank of the River from which
 an Ironwood 9 in. diam. bears S 72 E 15 lks. dist. &
 an Elm 12 " " " S 87 W 16 " "
 Land rolling, timber Beech, Sugar &c.
-

- South Between Sec. 2 & 3, 4th P 1 E. 2nd Mer.
 3.00 a Brook 25 lks. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. bears N 17 W 75 lks. dist.
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a Beech 20 in. diam. bears S 33 19 lks. dist. &
 a Do 10 " " " North 16 " "
 Land hilly, timber Beech, Oak, Sugar &c.
-

- East On Rand. betw. Sec. 2 & 11, 4th P 1 E.
 40.00 Set temp. q. Sec. post
 48.00 a Spring run 10 lks. wide Cr. S.
 80.15 Intersected the N & S. line 10 lks. S. of the Cor.
 Land timber &c. same as on the last mile
-

- West On true line betw. Sec. 2 & 11, 4th P 1 E.
 40.07 1/2 Set q. Sec. post at av. dist. from which
 an Elm 36 in. diam. bears S 28 W 23 lks. dist. &
 a Maple 20 " " " N 30 W 37 " "
 80.15 to Sec. Cor.
-

- South Between Sec. 10 & 11, 4th P 1 E. 2nd Mer.
 21.50 a Brook 100 lks. wide Cr. S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. diam. bears N 9 E 10 lks. dist. &
 a Hickory 8 " " " S 8 E 23 " "
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

T4N R1E. 2^d. Mer. Indiana

a Beech 24 in. diam. bears N44W 2 1/2 hrs. dist. of
an Ash 18 " " " East 9 " "

East On Random betw. Sec. 11 & 14, T4N. R1E.

40.00 At temp. of Sec. post

65.00 a Brook 10 hrs. wide Cr. North

79.96 Intersected the N & S. line 10 hrs. S. of the cor.
Land rich, timber Sugar, Beech, Poplar, Oak &c.

West Connected between Sec. 11 & 14, T4N. R1E.

39.98 At of Sec. post at av. dist on true line from which
a Sugar 10 in. diam. bears S26W 17 hrs. dist. of
a Do 10 " " " N12E 15 " "

79.96 to Sec. Cor.

South Between Sec. 14 & 15, T4N. R1E. 2^d. Mer.

16.90 a W. Oak 24 in. diam.

40.00 At the of Sec. post, from which

a Sugar 10 in. diam. bears S54E 12 hrs. dist. of

a Do 13 " " " S53W 20 " "

80.00 a Walnut 8 in. ^{diam} Cor. to Sec. 14, 15, 22, 23, this mile over
Land hilly rich, timber Same undg. Spruce &c.

East Between Sec. 14 & 23, T4N. R1E.

32.90 a Cliff of limestone rocks on the river hill

38.50 At a post on the River bank from which

a Beech 6 in. diam. bears N78W 21 hrs. dist. of

a Sugar 8 " " " S29E 10 " "

Land very hilly

South Between Sec. 22 & 23, T4N. R1E.

40.00 At the of Sec. post, from which

a Beech 7 in. diam. bears S9W 6 hrs. dist. of

T4. N. R1 E. 2nd Mer. Indiana

80.00 a Mulberry 18 in. diam. beam 145 E 40 lbs. dist. of
 a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Sugar 12 in. diam. beam 185 E 31 lbs. dist. of
 a Beech 9 " " " 119 W 23 " "
 Land rich, lies convenient for farming.

East Between Sec. 23 & 26, T4 N. R1 E.
 12.96 a Beech 18 in. diam.
 15.54 a Sugar 12 in. diam. Cor. on the River bank

South Between Sec. 26 & 27, T4 N. R1 E.
 20.00 a Hackberry 24 in. diam.
 26.50 a post on the River bank, from which
 a Sugar 18 in. diam. beam N 37 W 28 lbs. dist. of
 a Blue Ash 30 " " " N 37 W 25 " "
 Land rich & level.

West Between Sec. 22 & 27, T4 N. R1 E. 2nd Mer.
 21.50 a W. ash 40 in. diam.
 25.76 a post on the River bank, from which
 a Beech 6 in. diam. beam N 51 E 33 lbs. dist. of
 an Ironw? 6 " " " 178 W 6 " "

West Between Sec. 15 & 22, T4 N. R1 E.
 35.83 to a W. Oak 10 in. diam. Cor. on the River
 Land, timber &c. same as on the last mile
 East Between Sec. 15 & 22, from Cor. to Sec. 15, 16, 21 & 22
 10.00 a post on the River bank, from which
 a Sugar 10 in. diam. beam N 54 W 5 lbs. dist. of
 a W. Oak 12 " " " 136 E 11 " "

South Between Sec. 3 & 4, T4 N. R1 E. 2nd Mer.
 29.00 a Brook 150 lbs. wide Course West.

T4 N. R1 E. 2nd. Mer. Indiana

- 40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears N23W15 lbs. dist.
a Do 12 " " " S72E8 " "
this 1/2 mile over good rolling land
- 80.00 At a post Cor. to Sec. 3, 4, 9, 10, from which
an Hornwood 6 in. dia. bears N4W18 lbs. dist.
a Dogwood 6 " " " S85W37 " "
Last 1/2 mile over hilly land, timber Beech, Sugar
- or Spruce &c.

East On Random between Sec. 3 & 10, T4 N. R1 E.

- 40.00 At temp. q. Sec. post
- 43.50 a Brook 150 lbs. wide C. N. E.
- 80.00 Intersected the N & S. line 20 lbs. S. of the Cor.
Land timber &c. same as on the last mile

West on true line between Sec. 3 & 10, T4 N. R1 E.

- 40.00 At the q. Sec. post at an j. dist. from which
a Beech 24 in. dia. bears S69E10 lbs. dist.
a Sugar 10 " " " S24E38 " "
- 80.00 to Sec. Cor.

South Between Sec. 9 & 10, T4 N. R1 E. 2nd. Mer.

- 40.00 At the q. Sec. post, from which
a Beech 10 in. dia. bears N23E13 lbs. dist.
a Do 18 " " " S59E23 " "
- 80.00 At a post Cor. to Sec. 9, 10, 15, 16, from which
a Hickory 8 in. dia. bears N79W4 lbs. dist.
a Sugar 18 " " " S73E40 " "
Land rolling rich timber, Sugar, ash, Poplar &
Beech, undergth Spruce.

East On Random between Sec. 10 & 15, T4 N. R1 E.

T4N R1E. 2^d. Mer. Indiana

40.00 At temp^y. of Sec. post
80.10 Intersected the N & S. line 40 lks. N. of the Cor.
Land, timber &c. Same as on the last mile

West On true line betwⁿ. Sec^s. 10 & 15, T4N. R1E.
40.05 At of. Sec. post, at av^g. dist. on true line, from which
a Hickory 10 m. dia^r. bears N10 E 7 lks. dist. of
a Beech 6 " " " N68 E 13 " "
80.10 to Sec. Cor.

South Between Sec^s. 15 & 16, T4N. R1E. 2^d. Mer.
40.00 At the of. Sec. post, from which
a Beech 6 m. dia^r. bears N80 E 2 lks. dist. of
a Do 6 " " " N82 W 11 " "
80.00 At a post Cor. to Sec^s. 15, 16, 21 & 22, from which
a Dogwood 6 m. dia^r. bears N68 W 6 lks. dist. of
a Sugar 10 " " " N13 E 14 " "
This post stands on the side of White River hill
Good farming land timber Same.

South Between Sec^s. 21 & 22, T4N. R1E. 2^d. Mer.
2.96 At a post on the River bank, from which
a W. Ash 10 m. dia^r. bears N31 E 2 lks. dist. of
a Sugar 12 " " " N74 W 32 " "

South Between Sec^s. 4 & 5, T4N. R1E.
40.00 At the of. Sec. post, from which
a Beech 12 m. dia^r. bears South 43 lks. dist. of
a Do 12 " " " N79 W 11 " "
43.00 a Brook 150 lks. wide C.P. West
54.00 Same 150 " " " S.E.
71.00 Same 150 " " " West
80.00 At a post Cor. to Sec^s. 4, 5, 8 & 9, from which

T4 N. R1 E. 2nd Mer. Indiana

a Beech 30 m. dia. bray N35W24 lbs. dist. of
 a Do 20 " " " N19W18 " "
 Level land, timber Beech, Sugar, Ash &c.

East On Rand. between Sec. 4 & 9, T4 N. R1 E.

40.00 Set temp. of Sec. post

80.00 Intersected the N & S. line 12 lbs. N. of the Cor.
 Land rolling timber Same

West On true line between Sec. 4 & 9, T4 N. R1 E.

40.00 Set of Sec. post at av. dist. from which

a Beech 10 m. dia. bray N70E32 lbs. dist. of

a Do 10 " " " N70E6 " "

80.00 to Sec. Corner

South Between Sec. 8 & 9, T4 N. R1 E.

10.00 a Brook 10 lbs. wide Cr. W.

40.00 Set the of Sec. post, from which

a Beech 20 m. dia. bray N29E6 lbs. dist. of

a Do 6 " " " N26W23 " "

71.00 a Spring Cr. West

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which

a Beech 6 m. dia. bray N80W8 lbs. dist. of

an Elm 24 " " " N37E14 " "

Land rich rolling, Beech, Sugar, Ash, poplar &c.

East On Random between Sec. 9 & 16, T4 N. R1 E.

40.00 Set temp. of Sec. post,

80.08 Intersected the N & S. line 30 lbs. N. of the Corner.
 Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, T4 N. R1 E.

40.04 Set of Sec. post at av. dist. from which

T4N R1E, 2nd Mer. Indiana

a Beech 8 mi. dia. bear S 28 E 8 lks. dist. &
 a Do 12 " " " S 57 W 32 " "
 80.08 to Sec. Corner

South Between Sec. 16 & 17, T4N, R1E, 2nd Mer.

40.00 Set the q. Sec. post, from which
 a Beech 6 mi. dia. bear S 83 W 13 lks. dist. &
 an Ironw. 6 " " " N 88 E 8 " "

59.50 a Brook 12 lks. wide C.P. & N.W.

80.00 Set a post Cor. to Sec. 16, 17, 20, 21, from which
 a Beech 20 mi. dia. bear S 50 W 16 lks. dist. &
 a Do 20 " " " N 9 W 38 " "
 Sand timber &c. Same as on the last mile

East On Random between Sec. 16 & 21, T4N, R1E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 35 lks. N. of the Cor.
 Sand, timber &c. Same as on the last mile

West On true line between Sec. 16 & 21, T4N, R1E.

40.00 Set the q. Sec. post, from which
 a Beech 20 mi. dia. bear S 23 E 8 lks. dist. &
 a Do 6 " " " S 78 W 16 " "

80.00 to Sec. Corner.

South Between Sec. 20 & 21, T4N, R1E, 2nd Mer.

17.50 Set a post on the River bank, from which
 a W. Oak 20 mi. dia. bear N 19 W 21 lks. dist. &
 an Ironwood 6 " " " N 68 E 9 " "
 Sand level timber Same

West Between Sec. 17 & 20, T4N, R1E, 2nd Mer.

10.63 Set a post on the River bank, from which

T4N R1E, 2nd Mer. Indiana

a W. Oak 12 in. dia., bear West 4 lks. dist. of
Sand timber &c. Same as on the last mile

South Between Secs. 5 & 6, T4N, R1E, 2nd Mer.

40.00 At the q. Sec. post, (bearings omitted)

78.00 a Brook 200 lks. wide C.P. —

80.00 Set a post in S. edge of S. brook, Cor. to Secs. 5, 6, 7 & 8, from which

a Maple 12 in. dia., bear N 73 E 43 lks. dist.
Sand land, timb. Beech, Ash, Poplar &c

East On Randm. betwn. Secs. 5 & 8, T4N, R1E.

40.00 At the temp. q. Sec. post

50.00 a Brook 200 lks. wide C.P. & M.

60.00 Same 200 " " " S.M.

68.00 a Brook 10 " " " North

80.00 Intersected the N & S. line at the Corner
Sand, timber &c. Same as on the last mile

West On true line between Secs. 5 & 8, T4N, R1E.

40.00 At the q. Sec. post at av. dist. from which
a Beech 12 in. dia., bear N 48 E 25 lks. dist. of
a do 6 " " " N 84 W 22 " "

80.00 to Sec. Corner.

South Between Secs. 7 & 8, T4N, R1E, 2nd Mer.

40.00 At the q. Sec. post, from which

a Beech 12 in. dia., bear S 39 W 10 lks. dist. of
an Ash 10 " " " N 38 W 15 " "

49.50 Set a post on the River Bank, from which

a Sugar — an. dia., bear N 63 W 11 lks. dist. of
a Ironwood 6 " " " S 42 E 5 " "

Sand timber &c. Same as on the last mile

T4 N. R1 E. 2^d. Mer. Indiana

Met Between Secs. 6 & 7, T4 N. R1 E.

5.00 to N.W. side of the Brook

21.88 Set a post on the River bank, from which
a Beech 12 in. dia. bears N 62 E 54 yds. dist. of
a Sugar 10 " " " S 60 E 18 " "

Land timber &c. same as on the last mile
Surveyed in 1811 by Arthur Hennie, D. S.

For the meanders of White River see the
end of the vol.

I certify that the foregoing transcript of field notes
of Township N^o 4 N. Range N^o 1 E. 2^d. Mer. Ind.
has been Comp^d. with the original field notes in
this Office and found to be correct.

Surveyor Genl's Office
Cincinnati, Dec. 14th 1840

C. S. Cairns
Surv. Genl.

459

Township N. 4 North, Range N. 1 East 2^d Mer. Indiana

Meanders of the East Fork of White River
in Township N. 4 N. Range N. 1 E. thence up stream
on the Right bank, from a post in the 2^d Meridian.

X

N 43 E	8.00	in Sec. 6, T 4 N. R 1 E
N 39 E	10.50	
N 45 E	11.50	
N 52 E	17.50	
N 66 E	9.50	
N 75 E	11.50	
N 80 E	4.00	
N 87 E	12.00	
S 68 E	7.50	
S 20 E	3.00	Spring run 5 lks. wide
S 20 E	5.00	
S 33 W	7.50	
S 9 W	29.12	to line between Sec. 6 & 7

South	6.50	a Creek 200 lks. wide (in Sec. 7)
South	3.00	
S 6 W	14.50	
S 5 E	16.00	
S 35 E	6.00	
S 72 E	10.50	
S 80 E	9.90	to line between Sec. 7 & 8

S 80 E	14.50	in Sec. 8, T 4 N. R 1 E
S 72 E	17.50	
S 64 E	7.00	
S 52 E	8.50	
S 37 E	11.00	
S 20 E	6.10	to line between Sec. 8 & 17

S 19 E	16.50	in Sec. 17, T 4 N. R 1 E.
--------	-------	---------------------------

T4N. R1E. 2^d Mer. Indiana

S5 E 10.00

S9 E 30.50

S18 E 2.50 a brook 12 lks. wide

S18 E 18.00

S12 E 5.00 line between Secs. 17 & 20

S23 E 11.50 in Sec. 20, T4N. R1E.

S42 E 9.60 to line between Secs. 20 & 21

S43 E 12.00 in Sec. 21, T4N. R1E

S35 E 11.50

N80 E 6.00

N59 E 15.00

N55 E 14.00

N64 E 39.00 line between Secs. 21 & 22

N64 E 8.00 in Sec. 22, T4N. R1E

N80 E 2.25 to line between Secs. 15 & 22

N80 E 8.50

S87 E 18.50

S74 E 8.12 to line between Secs. 15 & 22

S83 E 8.00 in Sec. 22, a brook 5 lks. wide

S29 E 11.00

S2 E 9.50

S5 W 30.50

S3 W 22.50

S9 E 7.37 line between Secs. 22 & 27

S26 E 13.50 in Sec. 27, T4N. R1E

S43 E 10.00

S32 E 9.00

T4N R1E, T. Mer. Indiana

N78 E 8.96 to line between Sec. 26 & 27

N75 E 13.50 in Sec. 26, T4N. R1E.

N25 E 6.50

N2 E 11.50

N4 E 4.90 to line between Sec. 23 & 26

North 15.00 in Sec. 23, T4N. R1E

N78 E 33.50

N23 E 16.00

N29 E 12.00

N43 E 8.80 to line between Sec. 14 & 23

N43 E 10.00 in Sec. 14, T4N. R1E.

N56 E 13.50

N75 E 23.70 to line between Sec. 13 & 24

S63 E 19.50 to line between Sec. 13 & 24

S21 E 11.00 in Sec. 24, T4N. R1E.

S31 E 20.00

S28 E 12.00

S37 E 27.50

S50 E 5.00

S69 E 9.00

S77 E 14.24 to a post on the Range line betw. Range
1 & 2 East

Meanders of the Left bank of White River
from the Corner on the Meridian.

N45 E 40.00 in Sec. 6, T4N. R1E.

N55 E 22.00

N83 E 25.50

T4N R1E T^h Mer. Indiana

S19 E 11.00

S10 W 39.00 to line between Sec^s. 6 & 7

S4 W 26.00 in Sec. 7, T4N, R1E

S17 E 16.00

S41 E 17.00

S75 E 20.00 line between Sec^s. 7 & 8

S75 E 36.00 in Sec. 8 - at 14.00 on this course a brook 50 ft. wide

S36 E 13.00 to line between Sec^s. 8 & 17

S21 E 16.90 in Sec. 17, T4N, R1E.

S2 E 16.00

S9 E 29.50

S15 E 20.50 to line between Sec^s. 17 & 20

S15 E 27.50 in Sec. 20, T4N, R1E.

S45 E 20.50 to line between Sec^s. 20 & 21

S32 E 14.50 in Sec. 21, T4N, R1E.

S65 E 13.50

N37 E 40.00

N65 E 29.00 to line between Sec^s. 21 & 22

N65 E 14.50 in Sec. 22, T4N, R1E.

S88 E 34.00

S21 E 9.00

S6 W 53.50

S19 E 9.00 to line between Sec^s. 22 & 27

S19 E 16.00 in Sec. 27, T4N, R1E.

S38 E 34.00 at 16.00 on this course a brook 75 ft. wide

N78 E 7.30 to line between Sec^s. 26 & 27

S4 N. R1 E. T. Mer. Indiana

N60 E 12.30 in Sec. 26, a brook 75 ft. wide

N83 E 10.50

N18 E 16.50

N12 W 16.00 to line between Secs. 23 & 26

N3 E 18.50 in Sec. 23, S4 N. R1 E (includes 14)
not run

N13 E 31.00

N26 E 24.00

N48 E 24.50

S66 E 24.50 to line betw. Secs. 23 & 24

S66 E 10.50 in Sec. 24, S4 N. R1 E.

S29 E 41.50

S41 E 35.30

S73 E 29.00 to post on Range line between Ranges 1 & 2 E.
Meander taken by A. Annie, D. S.

Comp.